

Technical data / connection


Magnetic base antenna for indoor use

Specification

Frequency range	2400 MHz - 2500 MHz
Gain	9.3 dBi
VSWR	$\leq 1.6:1$ Max.
Polarization	Linear, vertical
Impedance	50 Ω
Connector	R.P SMA PLUG

Environmental & Mechanical Characteristics

Temperature	-10°C to +55°C
Humidity	95% @55°C



Connection:

Place the antenna base on a metal surface and screw on the rod.
Screw with feeling the cable on the device onto the WIFI socket.

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download.
If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH

Im Gewerbegebiet 1

DE-73116 Wäschenbeuren

+49 (0) 7172-92666-0

info@process-informatik.de

<https://www.process-informatik.de>

Copyright by PI - 2026

Menutree Website:

+ Products / docu / downloads

+ Accessories

+ Antennas / Accessories


+ Magnetic base antenna for S5-/S7-BRIDGE / CONNECT

QR-Code Website:



Please make sure to update your drivers before using our products.

Interface-converter with galvanic decoupling




Coupling of 2 devices with different hardware-interfaces?

Devices of the UNI-COM-series offer the implementation of different hardware-interfaces with simultaneous galvanic-separation of both sides up to 1000V. Connections to the device via screw-terminals or via the integrated D-Sub with screw-locking. Universally usable for every application.

Only a 24V DC supply is required for the converter.

Separate your machine-net from the office-net




You need a separation between the machine-net and the office-net? No problem, plug a PCMCIA-LAN-card in your Tele-Prof-II-device (only for version -H) and the separation is OK. You have access to both nets via remote maintenance.

Remote-maintenance Siemens-S5-PLC with firewall



Remote-maintenance of a Siemens-S5-controller with S5-LAN++ on PD-port via secure VPN-tunnel and scalable firewall

Integrated firewall



You use ALF as a WLAN-router to connect your PC with the internet. No Problem, this Sie nutzen ALF als WLAN-Router um Ihren PC ins Internet zu bringen. Kein Problem, ALF masters this task without problems. Its built-in firewall ensures that no hacker from outside changes your configuration or moves in your network.